



ICAR - CENTRAL INLAND FISHERIES RESEARCH INSTITUTE AN ISO 9000 : 2008 Certified Organization Barrackpore, Kolkata-700 120, West Bengal

Ph.033 2592-1190/1191, FAX No.033 2592-0388/2545-1063, E-mail: storeseccifri@gmail.com

GST NO.19AAAGC0090D1ZX

F No. Purchase(SFC Minor Equipments)-02(1)/2018-Stores

10th December, 2018

LIMITED E-TENDER NOTICE

Tender No. Purchase (SFC Minor Equipments)-02(1)/2018-Stores E-Tender Id:- "2018_DARE_417094_1"

То

The Director, ICAR-CIFRI invites online Quotation through e-procurement portal (www.eprocure.gov.in) in 2 (two) Bid Systems (Itemwise) from the Manufactures/Authorized Dealers/reputed firms for the supply and installation/commissioning and training (if required) of the following 13 number of Minor Equipments/Software at the Headquarter of ICAR-CIFRI, Barrackpore, Kolkata-700120 (Sl. No. 1 to 11), Regional Centre of ICAR-CIFRI, CIFRI, CGO Complex (2nd Floor, C-Wing), DF Block, Salt Lake, Kolkata-700064 (Sl. No. 12) and Regional Centre of ICAR-CIFRI, HOUSEFED Complex, Dispur (Last Gate), Guwahati – 781006, Assam (Sl. No. 13). The addresses of the Regional Centres are also available on website www.cifti.res.in-

| The addresses of the Regional Centres are also available on website <u>www.cifri.res.in:-</u> | | | | | | |
|---|-------------------------------------|--------------|---------------|---------------|---------------------------------|--|
| SI. | Name of the Minor Equipment | EMD (₹) | Last date of | Specification | To be | |
| No. | (Unit to be purchased) | | submission | | supplied/installed/Co | |
| | | | of e-tender | | mmissioned at | |
| 1 | Digital SLR Camera with lens and | EMD | 26.12.2018 | Specification | ICAR-Central Inland | |
| | flash (64 GB ultra SD Card.) (1No.) | Rs.4,000/- | till 11.00 am | enclosed at | Fisheries Research | |
| 2 | Video Camera (32 GB ultra SD | uniform for | | Annexure-II | Institute, Barrackpore, | |
| | card) Monopad (1No.) | all bidders | | (Sl. No. 1 to | Kolkata-700120 | |
| 3 | Inclinometer with Trinometrical | even if | | 13) | | |
| | tripod stand with mounting base for | quotation is | | | | |
| | inclinometer (2 No.) | for one | | | | |
| 4 | Spherical densitometer (2 No.) | equipment | | | | |
| 5 | Portable Laser range finder (2No.) | | | | | |
| 6 | Ekman Dredge (1No.) | | | | | |
| | | | | | | |
| 7 | Vertical Autoclave (1No.) | | | | | |
| 8 | pH Probe Sentix 41 (1No.) | | | | | |
| 9 | Documentation Software for | | | | | |
| | Compound Microscope (1 No.) | | | | | |
| 10 | Digital Depth sounder (1No.) | | | | | |
| 11 | Blood analyzer (1No.) | | | | | |
| 12 | Microscope Camera to be used with | | | | Regional Centre of | |
| | multibrand microscopes | | | | ICAR-Central Inland | |
| | High resolution color microscope | | | | Fisheries Research | |
| | camera (1No.) | | | | Institute, CGO | |
| | | | | | Complex (2 nd Floor, | |
| | | | | | C-Wing), DF Block, | |
| | | | | | Salt Lake, Kolkata- | |
| | | | | | 700064 | |
| 13 | Hot air oven (NMHS Project) (1 | | | | Regional Centre of | |
| | No.) | | | | ICAR-CIFRI, | |
| | | | | | HOUSEFED | |
| | | | | | Complex, Dispur (Last | |
| | | | | | Gate), Guwahati - | |
| | | | | | 781006, Assam | |

The tender document and specification details (Enclosed at Annexure-II) may be downloaded

from the Institute's Website: <u>www.cifri.res.in</u> or e-procurement portal <u>www.eprocure.gov.in</u>.

No bid other than online quotation shall be entertained. However, the EMD as mentioned at para 2 of Terms and Conditions should reach <u>ICAR-Central Inland Fisheries Research Institute</u>, <u>Barrackpore, Kolkata – 700120</u> within the Bid submission end date and time. Delay even for postal delay shall not be considered.

| The tentative Schedule of processing of quotation is as follows:- | |
|---|--|
| | |

| | The tentative beneatile of processing of quotation is as follows. | |
|----|---|--------------------------------------|
| 1. | Date and Time for Issue/Publishing | 11.00 AM on 10.12.2018 |
| | U | |
| 2 | | 11.00 AM = 10.12.2018 |
| 2. | Document Download/Sale Start Date and Time | 11.00 AM on 10.12.2018 |
| | | |
| 3. | Document Download/Sale End Date and Time | 11.00 AM on 26.12.2018 |
| | | |
| | | |
| 4. | Bid Submission start Date and Time | 11.00 AM on 10.12.2018 |
| | | |
| 5. | Bid Submission End Date and Time | 11.00 AM on 26.12.2018 |
| 5. | | |
| | | |
| 6. | Date and Time for Opening of Technical Bids | 11.00 AM on 27.12.2018 |
| | | |
| 7. | Address for Communication | The Assistant Administrative Officer |
| 1. | | (Stores), ICAR-CIFRI, Barrackpore, |
| | | |
| | | Kolkata-700120 |

The aforementioned dates may vary and the change in date shall be suitably intimated in public domain.

Assistant Administrative Officer (Stores)

TERMS AND CONDITIONS

- 1. Each bidder should bid item wise/As per period of supply through online BOQ. Price must not be quoted in Technical Bid.
- 2. The following documents in PDF Format are to be uploaded with the quotation through e-procurement portal www.eprocure.gov.in. As mentioned at Tender notice, the EMD as mentioned at para 2 of Terms and Conditions should reach <u>ICAR-Central Inland Fisheries Research Institute, Barrackpore, Kolkata 700120</u> within the Bid submission end date and time. Delay even for postal delay shall not be considered..
 - a) Authenticated PDF Copy of valid Company Registration/Trade License.
 - b) Authenticated PDF Copy Certificate showing performance of this type of supply in the past e.g. copy of Purchase Order and Challan, installation and commissioning Certificate, certificate issued by Authorized Officer of Department.
 - c) Authenticated PDF Copy of PAN and GST Certificate.
 - d) PDF Copy of Demand Drafts (EMD Rs.4,000/- uniform for all bidders even if quotation is for one equipment). For exemption, authenticated and valid MSME/NSIC certificate has to be submitted.
 - e) Authenticated PDF Copy of valid Dealership/Authorization Certificate from manufacturer.
 - f) Authenticated PDF copy of Declaration as per Annexure-III in letter head of the firm.
 - g) Authenticated PDF copy of Technical Bid as per Annexure-I, attachments along with Make/Model/Brand/Catalogue of the quoted item must be included by the bidders, failing which Technical Bid will be rejected.
- 3. The schedule of supply and specification of the items are enclosed in <u>ANNEXURE-II</u>. The rate should be quoted on F.O.R. basis at the <u>Headquarter of ICAR-CIFRI, Barrackpore, Kolkata-700120 (Sl. No. 1 to 11)</u>, <u>Regional Centre of ICAR-CIFRI, CGO Complex (2nd Floor, C-Wing)</u>, <u>DF Block, Salt Lake, Kolkata-700064 (Sl. No. 12)</u> and <u>Regional Centre of ICAR-CIFRI, HOUSEFED Complex, Dispur (Last Gate), Guwahati 781006, Assam (Sl. No. 13)</u> as mentioned in the Tender Notice above.
- 4. Tender documents submitted through online should accompany PDF Copies of Demand Draft of EMD of ₹4,000/- uniform for all bidders even if the bidder is bidding only for one equipment. The EMD in the form of Demand Draft payable at "ICAR Unit -CIFRI" payable at SBI, Barrackpore along with the documents mentioned at para 2 above duly authenticated by the Authorized personnel of the bidder should be sent to the Assistant Administrative Officer (Stores), ICAR-CIFRI, Barrackpore, Kolkata-700120 within last date of receipt of tender. In case of non-submission of EMD and documents within specified time, quotation will not be considered. The EMD shall be returned to the successful and unsuccessful bidders as per rules without any interest thereon. The amount of EMD will be forfeited if supply is not effected during the given time and contract will stand cancelled. EMD is exempted for the bidders having MSME/NSIC Certificate.
- 5. Tender once submitted should remain valid at least for 90 (ninety) days for acceptance.
- **6.** (a) The online bid should contain two envelopes containing the Technical Bid and Financial bid in the form of BOQ.
 - (b) The envelope containing authenticated documents and DD for EMD should be superscribed as "Tender for supply of Minor Equipment(**Name of the Equipment**) (Sl. No. as indicated in the table at Tender Notice)" as detailed in Notice Inviting e-Tender (NIT).

7. TENTAIVE DATES OF PROCESSING OF TENDER

| | IT E DITTES OF TROCESSING OF TENDER | |
|----|---|--|
| 1. | Date and Time for Issue/Publishing | 11.00 AM on 10.12.2018 |
| 2. | Document Download/Sale Start Date and Time | 11.00 AM on 10.12.2018 |
| 3. | Document Download/Sale End Date and Time | 11.00 AM on 26.12.2018 |
| 4. | Bid Submission start Date and Time | 11.00 AM on 10.12.2018 |
| 5. | Bid Submission End Date and Time | 11.00 AM on 26.12.2018 |
| 6. | Date and Time for Opening of Technical Bids | 11.00 AM on 27.12.2018 |
| 7. | Address for Communication | The Assistant Administrative Officer (Stores), ICAR-CIFRI, Barrackpore, Kolkata-700120 |

- 8. Rates quoted for the item should include the taxes/duties and transportation cost/delivery cost etc. (on FOR basis) of the items at the mentioned places. Taxes/ duties are to be mentioned in the BOQ and no subsequent claim for taxes/ duties etc. will be entertained separately.
- **9.** The PDF copies submitted as Technical Bid on e-procurement portal and should be legible. The mistake should be corrected by one stroke and initialed.
- 10. Make/Model/Brand/Catalogue along with all specifications of the quoted item must be included by the bidders in their Technical Bids both online, failing which Technical Bid will be rejected. The Price quoted in the Price Bid in the form of BOQ to be submitted online must incorporate Price of the item, transportation cost, cost of installation/commissioning and training to the personnel (if required) and all taxes.
- 11. Incomplete tender and bids not in prescribed format according to the terms and conditions as mentioned hereinabove shall be rejected forthwith.
- **12.** Tax deduction at source will be made wherever applicable.
- **13.** Payment will be released only against the pre-receipted bill indicating the Bank details of the supplier, to be submitted in triplicate within 30 days of supply and installation/commissioning of the item in good condition. Payment will be made through e-payment. The Performance Security of 5% of the cost of the equipment shall have to be submitted by the supplier, which should be valid at least for one year.

14. LIQUIDITY DAMAGES:-

i) In all cases of delay by the supplier in delivery of the materials or any or all of the goods or to perform the services forming the subject matter of this contract beyond the periods specified in purchase order, other than a delay (Force Majure), the buyer shall have the right without prejudice in its other remedies under this contract, to claim liquidated damages amounting to 0.5% per week of the delivery price of the delayed goods or performance of services for each week/month or part thereof of delay until actual delivery or performance. However such damages shall not exceed 10 % of the delivery price of the goods or services of which the delivery or performance has been delayed.

ii) The supplier shall remit the amounts due to Buyer under clause (i) above, within 30 days of receipt of demand from the Buyer. If the supplier fails to make the payment within the period of 30 days, the Buyer shall have the right to recover it from other payments due to the supplier.

iii) In the event the buyer terminates the Contract, the Buyer shall also have the right to procure, upon such terms and in such manner as it deems appropriate, goods or services similar to those undelivered, and the supplier shall be liable to Buyer for any excess cost incurred by the Buyer for procuring such similar goods or services. However, the supplier shall continue performance of the contract to the extent not terminated.

15. The supplier will have to arrange for Road Permit/Way Bill if required for the supply of stores. All the documents required in this regard will be supplied by the Institute.

- 16. Resolution of disputes:
 - i) All disputes, these agreements or questions arising out of or in connection with this contract or relating to its construction or performance shall be settled amicably by mutual consultation. If after 90 days the parties have failed to resolve their disputes or differences by mutual discussions, the matter shall be referred by arbitration in accordance with the Arbitration and Conciliation Act 1996. The Arbitral tribunal shall consist of an arbitrator nominated by the Buyer and another nominated by the supplier. The third arbitrator shall be chosen by the two arbitrators so appointed by the parties and shall act as the presiding arbitrator. In case of failure of two arbitrator appointed by the parties to reach a consensus about the third arbitrator (Presiding arbitrator) within a period of 90 days from the appointment of the arbitration appointed subsequently, the presiding arbitrator shall be appointed by the Indian Council of Arbitration. The decision of the majority of the Arbitrator shall be final and binding on the parties.
 - ii) The Parties shall continue to perform their obligations under this Contract during the conciliation/arbitration proceedings. The cost of arbitration (including the fees and expenses of the arbitrators) shall be shared equally by the parties, unless the award specifies otherwise.
 - iii) This article shall survive the termination of this contract.
- **17**. The Director, ICAR-Central Inland Fisheries Research Institute, Barrackpore, Kolkata- 700 120, West Bengal reserves the right to accept or reject any or all the tenders either in part or in full without assigning any reasons whatsoever.
- 18. In pursuance of Notification No. 45/2017-Central Tax (Rate), dated 14th November, 2017 issued by the Department of Revenue, Ministry of Finance, Government of India, ICAR-Central Inland Fisheries Research Institute is an Autonomous Institute under Indian Council of Agricultural Research, Department of Agricultural Research, Ministry of Agriculture and Farmers' Welfare, Government of India and is fully (100%) funded by the Government of India and hence satisfies the Explanation (a) "Public funded research Institution" of the said notification for the purpose of availing exemption under Section 9 of the Central Goods and Services Tax Act, 2017 (12 of 2017). This Institute is a Department as mentioned in S1. No. 3 of the Table contained in the aforementioned Notification and for purchase of the following items, viz.
 - (a) Scientific and Technical instrument, apparatus, equipment, Computer
 - (b) Accessories, parts, consumables and live animals
 - (c) Computer software, CD-ROM, recorded magnetic Tape, microfilm, microfiches
 - (d) Prototypes, the aggregate value of the prototypes received not exceeding ₹50,000/- in this Financial Year

the Institute is entitled to the Goods and Services Tax at the rate CGST @ 2.5% + SGST @ 2.5% <u>OR</u> IGST @ 5% to be levied on the price of the item as per aforesaid notification. The Director, ICAR-Central Inland Fisheries Research Institute issues suitable Certificate for purchase of aforementioned items in each case.

DETAILS OF THE AGENCY

| 1. | Name & Address of Firm : | |
|-----|--|---|
| 2. | Trade License No. (Attach photocopy of document) | : |
| 3. | GST Registration No. (Attach photocopy of document) | : |
| 4. | Name and address of the owner of the Firm | : |
| 5. | Phone/Mobile No. | : |
| 6. | TAN/PAN Number (Attach photocopy of document) | : |
| 7. | Bank details of firm/Agency for making Payment | |
| a) | Name of the Bank & Branch | : |
| b) | Account Number | : |
| c) | IFSC Code | : |
| d) | MICAR Code No. | : |
| 8. | Details of EMD: | |
| a) | Amount | : |
| - / | Demand Draft No. | : |
| c) | Issuing Bank | : |
| d) | Date of issue | : |

- 9. Annual turn over of the firm
- 10. Balance sheet of last Three (3) years (Attach copy) Photo copy of Annual Tax return for last Three (3) Years may be enclosed

Certified that the terms and condition are acceptable to me/us. I/we will abide by the terms and conditions of the contract/offer and shall supply the items as per specification and terms and conditions of the Tender Document.

Place: Date:

Signature of owner with seal

Specification Details for Minor Equipments

| SI No. Name of the Articles Full Specifications | | | | | |
|---|---|--|--|--|--|
| Sl.No. | Name of the Articles | Full Specifications | | | |
| | | R-CIFRI, Barrackpore, Kolkata-700120 (Sl. No. 1 to 10) | | | |
| 1. | Digital SLR Camera | Features i) 24.2 MP (Minimum) CMOS sensor ii) 51point AF system | | | |
| | with lens and flash (64 | iii) 2,016 – Pixel RGB metering sensor | | | |
| | GB ultra SD Card.) | Iv) ISO $100 - 25,600$ v) 6 FPS continues Shooting | | | |
| | (1No.) | vi) 1/8000 sec. Max shutter speed | | | |
| | | vii) $1080 / 60^{\text{p}}$ video (1.3 x crop only) | | | |
| 2. | Video Camera (32 GB | i) 24 to 26 .8 mm wide angle view | | | |
| | ultra SD card) | ii) DV Memory | | | |
| | Monopad (1No.) | iii) Multi Interface (MI) Shoe | | | |
| | | iv) BNC composite terminal | | | |
| | | v) Sensitive – Exmor – R CMOS | | | |
| | | vi) Sensor & built in LED light. | | | |
| 3. | Inclinometer with | For gradient measurement on banks, reach water surface gradient at stream | | | |
| | Trinometrical tripod | transacts and also for measuring riparian tree heights along transacts. Two units | | | |
| | stand with mounting | are required as simultaneously more than one research team is involved in | | | |
| | base for inclinometer | sampling on different rivers under study. Tripod stand to be used as mounting | | | |
| | (2 No.) | base for inclinometer and densitometer during sampling survey. | | | |
| 4. | Spherical densitometer | To be used to collect quantitative data on riparian tree canopy cover at stream | | | |
| | (2 No.) | transacts or measuring riparian canopy closure. Two units are required as | | | |
| | | simultaneously more than one research team is involved in sampling on different | | | |
| | | rivers under study. | | | |
| 5. | Portable Laser range | • Water proof | | | |
| | finder (2No.) | • Maximum range finding capacity of more than 1000 meter | | | |
| | | Angle measurement feature | | | |
| | | • For rapid measurement of physical dimensions of non-wadable streams | | | |
| | | sections. Two units are required as simultaneously more than one | | | |
| | | research team is involved in sampling on different rivers under study. | | | |
| 6. | Ekman Dredge(1No.) | • Ekman Dredge: Size 22.5 X 22.5 cm | | | |
| 0. | | Dredge for sampling benthic communities inhabiting soft bottomed | | | |
| | | aquatic environment | | | |
| | | | | | |
| | | • Hinged upper doors swing open as dredge is lowered allowing water to | | | |
| | | pass through and minimize shock waves. | | | |
| | | • Heavy duty messenger closes the dredge, preventing washout of sample. | | | |
| | | • Brass construction with special welding for added strength and durability | | | |
| | XX . 1 1 1 | • one year warranty. | | | |
| 7. | Vertical Autoclave | • Fully stainless steel structure | | | |
| | (1No.) | • The Cover should be opened easily | | | |
| | | • Audio and visual alarm for low level water, automatic water supply | | | |
| | | system should be there | | | |
| | | • Downward displacement (Gravity-type) to ensure a pure steam | | | |
| | | environment | | | |
| | | • Safety valve should release air intermittently to ensure stable pressure | | | |
| | | and temperature automatically | | | |
| | | Pressure meter to display chamber termperature and pressure | | | |
| | | • Immersion heater to ensure a high effective thermal efficiency | | | |
| | | • Capacity: 30L | | | |
| | | • Water Supply Pressure: ≥ 0.2 Mpa | | | |
| | | • Working pressure: 0.14-0.165Mpa | | | |
| | | Working Temperature: 126 | | | |
| | | | | | |
| | Temperature Fluctuation: <2 Device Supply: 220V/ 50/60 HZ | | | | |
| | | Power Supply: 220V, 50/60 HZ | | | |
| | | • Consumption: 3KW | | | |
| | | • External Size (L*W*H): 700*510*730mm | | | |
| | | CE Certified. | | | |
| 8. | pH Probe Sentix 41 | pH Probe Sentix 41 | | | |
| | (1No.) | | | | |
| 9. | Documentation | The software must be capable of | | | |
| | | | | | |

| r | | | | |
|-----|-----------------------|---|--|--|
| | Software for | Measurement acquisition | | |
| | Compound | A VI Live-streaming | | |
| | Microscope (Single | • (Video recording) capture | | |
| | User) (1No.) | Live Image Capture | | |
| | | • • | | |
| | | Calibration | | |
| | | Report Generation and export it to Excel | | |
| | | • Measurement: count, length, area, angle, circle and ellipse, time-lapse | | |
| | | Fluorescence channel merging | | |
| | | Note: The Software must control Nikon DS-Fi2-U3 Camera | | |
| 10. | Digital Depth | Dimension: approximately 2" x 8" | | |
| 10. | | Water proof to a depth of 150' (50m) | | |
| | sounder (1No.) | | | |
| | | • Should work up to maximum depth of 80 m | | |
| | | • Should measure depth in feet or meters in a range of 1.6' to 260' (0.5m | | |
| | | to 80m), Accuracy: $\pm 1\%$ | | |
| | | • Frequency: Built in Transducer model; 400 KHz with a 6^0 beam angel | | |
| | | backlight | | |
| | | • Easy to read LCD display, minimum 7-digit LCD backlight | | |
| | | • Battery operated (Powered by 9V dry cell battery with battery life of | | |
| | | approximately 500 uses and 10 oz battery weight) | | |
| | | | | |
| | | • Automatically shut down option after operation | | |
| | | Warranty one year | | |
| 11. | Blood analyzer (1No.) | 1. The instruments should be fully automated 3-part differential with 20 | | |
| | | parameter offering automatic start up, shutdown and sample analysis. | | |
| | | 2. The instrument should have Hydrodynamic focusing based impedance | | |
| | | method for RBC/PLT channel. | | |
| | | 3. The instrument should have Cyanide free SLS-Hb /colorimetric method | | |
| | | for the hemoglobin measurement. | | |
| | | • | | |
| | | 4. The instrument should report minimum 20 PARAMETERS including, | | |
| | | WBC, RBC, HGB, HCT, MCV, MCH, MCHC, RDW-SD, RDW-CV, | | |
| | | PLT, NEUT %, LY %, MIX%, NEUT #, LY #, MIX #, PDW, MPV, PCT, | | |
| | | P-LCR, with THREE HISTOGRAMS – WBC, RBC, PLT | | |
| | | 5. The instrument should have a throughput of more than 60 samples/hour | | |
| | | 6. The instrument should employ sample rotor valve for sampling, giving | | |
| | | | | |
| | | better accuracy and precision. | | |
| | | 7. The 3 part WBC differential reported by the system should be classified | | |
| | | into Lymphocytes, Mixed and Neutrophil to aid screening of Bacterial and | | |
| | | Viral infections. | | |
| | | 8. The instrument should have more than 30,000 searchable sample data | | |
| | | storage. | | |
| | | 9. The instrument should have colored LCD touch screen with intuitive | | |
| | | Menu icons for easy operation. | | |
| | | • • | | |
| | | 10. The instrument should provide online real time QC facility. | | |
| | | 11. The instrument should have a hand held barcode reader for entry of | | |
| | | sample ID | | |
| | | 12. The sample volume for the complete blood count should not exceed 50µl. | | |
| | | 13. The system should have in built in printer and should be able to print | | |
| | | report on External printer of choice. | | |
| | | 14. To ensure economy as well as a better reagent inventory management the | | |
| | | number of reagent types "that are required to be connected to the system" | | |
| | | | | |
| | | for operation should not exceed 2 types preferably (excluding calibrators, | | |
| | | controls and other ancillary reagents that are not required during each | | |
| | | sample analysis). | | |
| | | 15. Manufacturer of the instrument should have a local office/ representative | | |
| | | employee in India | | |
| | | 16. The company supplying the instrument should have a good track record in | | |
| | | government / defence institutions and excellent service and distributor | | |
| | | | | |
| | | network across the our State (list of government / defence installations | | |
| | | along with details of Local offices in State, local distributors and local | | |
| 1 | | engineering support staff in State should be provided). | | |

| | 17. Warranty : minimum 2 years | | | | | |
|---|--|---|--|--|--|--|
| For supply at Regional Centre of ICAR-CIFRI, CGO Complex (2 nd Floor, C-Wing), DF Block, Salt Lake, Kolkata- | | | | | | |
| 700064 (Sl. | | | | | | |
| 12. | Microscope Camera to be used with multibrand microscopes eyepiece High resolution color microscope camera (1No.) | Microscope camera (for use in multibrand microscopes eyepiece) with configuration driver tool and connection cable USB 2.0 Sensor : Micron MT9P001, 5.0 Megapixels, color, CMOS Basic resolution : 2600 (H) x 1950 (V) around Pixel Size : 2.2 µm x 2.2 µm around Sensor size : 5.7 mm x 4.5 mm around ,equivalent 1 / 2.5" CMOS sensor Live frame rate (depending on hardware and software configuration) Maximum FPS = 8 fps (2592 x 1944), 30 fps (640 x 840) Exposure time : 1ms to 0.3s C-mount camera adaptor for eyepiece use With Imaging software for image acquisition, balance adjustment, color assignment, point to point measurement, free form measurements, manual cell counting facility, date and time record etc. | | | | |
| For supply | at Pagional Contro of I | • 2 years replacement warranty from the date of installations CAR-CIFRI, HOUSEFED Complex, Dispur (Last Gate), Guwahati – 781006, | | | | |
| Assam (Sl. | | CAR-CIFAI, HOUSEFED COMPLEX, DISPUI (Last Gate), Guwallati – 781000, | | | | |
| 13. | Hot air oven (1 No.) | Digital Hot Air Oven Microprocessor Temp. Controlled (PID based); 605 x 605 x 605 mm, 224 Ltrs.; ISI Marked, Convector heater, Heating element wattage 1500 Watt, Dimension o(L X B X H) 605x605x605 mm, Operating Voltage 230 Volt (+ / - 10%) 50 Hz, Thermal cutoff safety device, Corrosion resistant material. | | | | |

Annexure-III

(Printed on letter head of firm duly authenticated)

TO WHOM IT MAY CONCERN

| We | hereby | certify | that | our | firm M/s |
|----|--------|---------|------|-----|----------|
| | | | | | |

..... has not been black listed by any Government, or semi Government Department in India and has never been declared insolvent.

(Signature of the Firm with Seal)